


1
Tooth Scaffolds



PGA + PLLA

1/20



Fig. 1

Tooth Scaffolds-PLGA




Fig. 2

SEM-PLGA Scaffold + Salt




Fig. 3

4/20

SEM-PLGA Scaffold + Sugar




Fig. 4

5/20

Removal of Porcine Third Molar




Fig. 5

6/20

Removal of Porcine Third Molar





Fig. 6

7/20



Porcine Tooth Tissue Culture

Fig. 7

8/20

Tissue Culture-Von Kossa Stain




Fig. 8

9/20

Rat Radiographs - Human Tooth




Fig. 9

10/20

Rat Radiographs - Implant, 7.5 weeks




Fig. 10

11/20

Dissection of Tissue



Fig. 11

12/20

Dissection of Tooth Tissue
7.5 weeks



Fig. 12

13/20

Dissected Tooth Tissue - 7.5 Weeks




Fig. 13

14/20

Dissected Tooth Tissue Cysts - 7.5 Weeks



Fig. 14

Tissue Samples Were Sectioned




Fig. 15

16/20

Goldner's Stain
Green = mineralized tissue



Fig. 16

17/20





Fig. 17

18/20

A



B



Fig. 18




Fig. 19

20/20




Fig. 20